

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/995,655	11/29/2001	Robert J. Meyer	D/A0735Q	2626
7590 02/10/2004			EXAMINER	
Patent Documentation Center			BRASE, SANDRA L	
Xerox Corporation 100 Clinton Ave. S.			ART UNIT	PAPER NUMBER
Xerox Square 20th Floor			2852	
Rochester, NY 14644			DATE MAILED: 02/10/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
		09/995,655	MEYER ET AL.
	Office Action Summary	Examiner	Art Unit
		Sandra L. Brase	2852
rio	The MAILING DATE of this communication and for Reply	appears on the c ver sheet w	ith the c rrespondence address
TI - - -	SHORTENED STATUTORY PERIOD FOR REF HE MAILING DATE OF THIS COMMUNICATION Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, a r If NO period for reply is specified above, the maximum statutory peri- Failure to reply within the set or extended period for reply will, by star Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply within the statutory minimum of thir od will apply and will expire SIX (6) MOI tute, cause the application to become A	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
tatu	S		
1)	Responsive to communication(s) filed on 26	November 2003.	
		his action is non-final.	
	☐ Since this application is in condition for allow		ters, prosecution as to the merits is
•	closed in accordance with the practice unde	er <i>Ex parte Quayle</i> , 1935 C.E	D. 11, 453 O.G. 213.
ispo	sition of Claims		
• .	☑ Claim(s) <u>1-8 and 10-12</u> is/are pending in the	annlication	
٠,	4a) Of the above claim(s) is/are withd		
5)	Claim(s) is/are allowed.		
	☐ Claim(s) <u>1-8 and 10-12</u> is/are rejected.		
	Claim(s) is/are objected to.		
8)	Claim(s) are subject to restriction and	d/or election requirement.	
ppli	cation Papers		
9	☐ The specification is objected to by the Exami	iner.	
•	☐ The drawing(s) filed on is/are: a)☐ a		by the Examiner.
·	Applicant may not request that any objection to the		
	Replacement drawing sheet(s) including the corr	ection is required if the drawing	(s) is objected to. See 37 CFR 1.121(d).
11)	☐ The oath or declaration is objected to by the	Examiner. Note the attache	d Office Action or form PTO-152.
riori	ty under 35 U.S.C. § 119		
12)	☐ Acknowledgment is made of a claim for foreia) ☐ All b) ☐ Some * c) ☐ None of:	gn priority under 35 U.S.C.	§ 119(a)-(d) or (f).
	1. Certified copies of the priority docume	ents have been received.	
	2. Certified copies of the priority docume	ents have been received in A	Application No
	3. Copies of the certified copies of the pr	riority documents have beer	received in this National Stage
	application from the International Bure	eau (PCT Rule 17.2(a)).	
	• •	` ''	

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date _____.

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)

4) Interview Summary (PTO-413)

6) Other: _____.

Paper No(s)/Mail Date. _____ .

5) Notice of Informal Patent Application (PTO-152)

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. Claim 12 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

On line 11 of claim 12, "bar" could be changed to "bars".

On line 12 of claim 12, "a trim bar" could be changed to "a trim bar of the plurality of trim bars".

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Application/Control Number: 09/995,655

Art Unit: 2852

- 4. Claims 1, 2, 5-8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ojima et al. (US 5,519,472) in view of Yamashita (US 4,597,661) and Kudo et al. (US 4,297,384).
- Ojima et al. (...472) disclose a development system comprising: a housing (7) defining a chamber storing a supply of developer material (figure 1); a donor member, mounted partially in the chamber and spaced from an imaging surface (2), for transporting developer on an outer surface thereof to a region opposed from the imaging surface (figure 1), where the donor member has a magnetic assembly (18) having a plurality of poles, a sleeve (8) enclosing the magnetic assembly, rotating about the magnetic assembly (figure 2); and a trim bar (26) at a predetermined position spaced from the donor member, where the trim bar includes a vibrating member for disrupting a developer bed and reducing the developer bed height of the developer material on the donor member to a predefined developer bed height (col. 3, lines 43-54 and col. 5, lines 1-17; col. 5, lines 55-63; col. 6, lines 20-27; and col. 8, lines 28-52). The trim bar comprises a shaped metal blade fastened to the wall of the development housing (col. 5, lines 1-3). The predefined developer bed height is 10-100 µm (col. 14, lines 13-15). A means (19) applies an oscillating electric field between the donor member and the imaging surface (col. 5, lines 19-36; and col. 7, line 64 – col. 8, line 4). The vibrating member vibrates at 1800 Hz (col. 5, line 36). However, Ojima et al. (...472) do not disclose the developer material comprising the claimed carrier and toner, the rpm of the donor member and the claimed plurality of trim bars. Yamashita (...661) discloses a developer material in a magnetic development system can be a one-component developer or a two-component developer, where a two-component developer includes a carrier and a toner (col. 1, lines 38-50). The carrier can be iron or ferrite (col. 1, lines 41-44). The

Art Unit: 2852

donor member in the development system is rotated at 200 rpm (col. 5, lines 20-21). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the developer material be a two-component developer with the claimed carrier and toner since such a developer material is notoriously well known in the art, as disclosed by Yamashita (...661), and it would have also been obvious to rotate the donor member at the claimed rpm since such a rotating speed for a donor member in a developing operation is well known in the art, as disclosed by Yamashita (...661). Kudo et al. (...384) disclose a development system that includes a plurality of trim bars (15a and 15b) positioned about a donor roll (13) at a predefined plurality of positions and spacing around the donor roll (col. 2, lines 33-38). It would have been obvious to one of ordinary skill in the art at the time of the invention to have a plurality of trim bars, as disclosed by Kudo et al. (...384) so as to control the thickness of developer layer to obtain a toner image of desirable image density.

- 6. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ojima et al. (US 5,519,472) in view of Yamashita (US 4,597,661) and Kudo et al. (US 4,297,384) as applied to claim 1 above, and further in view of Hirata et al. (US 5,532,804).
- 7. Ojima et al. (...472) in view of Yamashita (...661) and Kudo et al. (...384) disclose the features mentioned previously, but do not disclose the pole spacing of the magnetic assembly. Hirata et al. (...804) disclose a development system including a magnetic assembly with a pole spacing of 1-10 mm (col. 13, lines 23-35). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a pole spacing in the claimed range so as to

transport a sufficient amount of developer material during the developing operation, as disclosed by Hirata et al. (...804).

- 8. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ojima et al. (US 5,519,472) in view of Yamashita (US 4,597,661), Kudo et al. (US 4,297,384) and Hirata et al. (US 5,532,804) as applied to claim 3 above, and further in view of Tajima et al. (US 4,936,249).
- 9. Ojima et al. (...472) in view of Yamashita (...661), Kudo et al. (...384) and Hirata et al. (...804) disclose the features mentioned previously, but do not disclose the thickness of the sleeve. Tajima et al. (...249) disclose a development system with a sleeve (2), which encloses a magnetic assembly, having a thickness of 0.25 1.5 mm (col. 4, lines 64-65). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the claimed sleeve thickness since it is well known in the art for a sleeve in a development system to have such a thickness, as disclosed by Tajima et al. (...249).
- 10. Claim11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ojima et al. (US 5,519,472) in view of Yamashita (US 4,597,661) and Kudo et al. (US 4,297,384) as applied to claim 1 above, and further in view of Kanno et al. (US 4,538,898).
- 11. Ojima et al. (...472) in view of Yamashita (...661) and Kudo et al. (...384) disclose the features mentioned previously, but do not disclose the vibrating member comprising a piezoelectric element. Kanno et al. (...898) disclose a development system including a blade that is vibrated by a piezoelectric element (col. 9, lines 32-36). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the vibrating member comprise

Art Unit: 2852

a piezoelectric element, as disclosed by Kanno et al. (...898), since it is well known in the art to use a piezoelectric element as a vibrating member of a blade in a development system.

Page 6

- 12. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ojima et al. (US 5,519,472) in view of Yamashita (US 4,597,661), Kudo et al. (US 4,297,384) and Kanno et al. (US 4,538,898).
- 13. Ojima et al. (...472) disclose a development system comprising: a housing (7) defining a chamber storing a supply of developer material (figure 1); a donor member, mounted partially in the chamber and spaced from an imaging surface (2), for transporting developer on an outer surface thereof to a region opposed from the imaging surface (figure 1), where the donor member has a magnetic assembly (18) having a plurality of poles, a sleeve (8) enclosing the magnetic assembly, rotating about the magnetic assembly (figure 2); and a trim bar (26) positioned about a donor roll at a predefined position and spacing around the donor roll, where the trim bar includes a vibrating member for disrupting a developer bed and reducing the developer bed height of the developer material on the donor member to a predefined developer bed height (col. 3, lines 43-54 and col. 5, lines 1-17; col. 5, lines 55-63; col. 6, lines 20-27; and col. 8, lines 28-52). However, Ojima et al. (...472) do not disclose the developer material comprising carrier and toner, a plurality of trim bars and the vibrating member including a piezoelectric element. Yamashita (...661) discloses a developer material in a magnetic development system can be a onecomponent developer or a two-component developer, where a two-component developer includes a carrier and a toner (col. 1, lines 38-50). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the developer material be a

'Application/Control Number: 09/995,655

Art Unit: 2852

two-component developer with the claimed carrier and toner since such a developer material is notoriously well known in the art, as disclosed by Yamashita (...661). Kudo et al. (...384) disclose a development system that includes a plurality of trim bars (15a and 15b) positioned about a donor roll (13) at a predefined plurality of positions and spacing around the donor roll (col. 2, lines 33-38). It would have been obvious to one of ordinary skill in the art at the time of the invention to have a plurality of trim bars, as disclosed by Kudo et al. (...384) so as to control the thickness of a developer layer to obtain a toner image of desirable image density. Kanno et al. (...898) disclose a development system including a blade that is vibrated by a piezoelectric element (col. 9, lines 32-36). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the vibrating member comprise a piezoelectric element, as disclosed by Kanno et al. (...898), since it is well known in the art to use a piezoelectric element as a vibrating member of a blade in a development system.

Response to Arguments

14. Applicant's arguments filed 11/26/03 have been fully considered but they are not persuasive.

Applicant argues that Ojima et al. (US 5,519,472), Yamashita (US 4,597,661), Hirata et al. (US 5,532,804) and Tajima et al. (US 4,936,249) and Kanno et al. (US 4,538,898) do not disclose the claimed plurality of trim bars, but this argument is moot since they were not used in the above rejections to disclose this feature.

15. Applicant further argues that Kudo et al. (US 4,297,384) do not disclose a donor roll which is spaced from an imaging member and a plurality of trim bars positioned about a donor

Application/Control Number: 09/995,655

Art Unit: 2852

roll at a plurality of predefined positions and spacing around the donor roll. However, this is incorrect. Kudo et al. (...384) disclose a donor roll (13) spaced from an imaging member (16), and a plurality of trim bars (15a and 15b). Also, applicant argues that Kudo et al. (...384) do not disclose the vibrating member, but this argument is moot since it was not used in the above rejections to teach this feature.

Final Rejection

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sandra L. Brase whose telephone number is (703) 308-3101. The examiner can normally be reached on Monday-Thursday and alternate Fridays.

Art Unit: 2852

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur T. Grimley, can be reached on 703-308-1373. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sandra L. Brase Primary Examiner

In LBrace

Art Unit 2852

February 4, 2004